

Treating veterans: A unique perspective

By Jerry Knight

to hypnotherapy
I always knew I
wanted to join
the Navy. At 14, I
attended a naval boarding
school and by 16 I was set
on my course. Straight out
of school, I joined the Royal

rom military service

of school, I joined the Royal Navy. My early years were filled with adventure and travel – until 1982, when I found myself in the Falklands, my first conflict zone. It was only the beginning. Over the years, I served in Sierra Leone, Kosovo, Macedonia, Iraq and even worked as a peacekeeper in Southern Lebanon and Israel.

During these years, I was exposed to the full spectrum of military life, from long deployments at sea to high-intensity conflict zones. This gave me a unique perspective on the stresses and traumas faced by service personnel. These experiences also taught me that trauma

does not always arrive in a single dramatic incident, but can build up through repeated exposure to stressful environments.

My introduction to

established my practice in Newcastle, NSW, intending to focus on veterans and PTSD. Unexpectedly, my work expanded into treating Functional Neurological

written about, eventually being recognised on the US PNES list of specialists. I now work online and with clients across Australia and internationally, helping

Trauma does not always arrive in a single dramatic incident, but can build up through repeated exposure to stressful environments

hypnosis came during this time. In order to progress to officer training, I had to pass mathematics; a subject I dreaded. Hypnosis helped me overcome that fear. Not only did I pass, but I was promoted and achieved things I would never have thought possible. That experience planted a seed: one day, I wanted to help others through hypnotherapy.

In 2015, I finally

Disorder (FND), sometimes called Non-Epileptic Attack Disorder (NEAD) in Australia and the UK, or Psychogenic Non-Epileptic Seizures (PNES) in the United States. This condition, often linked to trauma and stress, produces seizure-like events without the electrical activity seen in epilepsy.

FND is a condition I have worked extensively with and

people navigate the complexities of traumarelated disorders.

PTSD, FND, and the veteran experience

PTSD is a condition more widely recognised – a mental health disorder triggered by highly stressful or traumatic experiences. From my perspective, PTSD aligns with the body's fight-or-flight

Photo: Filip Andrejevic - Unsplash 49

response, whereas FND often reflects the freeze response. Veterans, unfortunately, may experience both.

Not all who serve develop PTSD. Childhood trauma – physical, emotional, or sexual abuse – significantly increases vulnerability. Among currently serving personnel, PTSD affects around 8%, rising to nearly 18% among ex-service members. This tells us that the problem often becomes more visible after leaving the structured, regimented environment of the military, when individuals must adjust to civilian life.

The challenges veterans face are sobering and well documented:

- Veterans make up around 8% of the US prison population.
- 20% of those with PTSD also struggle with drug or alcohol dependence.
- Approximately 12% of the homeless population are veterans.
- Veterans are 62% more likely to experience divorce or separation, with divorce rates increasing 42% during the wars in Iraq and Afghanistan.
- In 2022, 6,407 US veterans died by suicide an alarming rise from 5,787 in 2005.
- Suicide rates are disproportionately higher among women veterans and those in the LGBTQ+ community.

removed. The weight of what they've seen, done or been forced to witness can make reintegration extraordinarily difficult.

The complex nature of modern conflict

Unlike earlier wars, today's conflicts are complex, often involving asymmetric threats and blurred boundaries between combat, policing and peacekeeping roles. Veterans encounter situations civilians might struggle to imagine. A few examples include:

- Insurgents mingling in civilian clothes, directing missile attacks from playgrounds or crowded markets, knowing that coalition forces were unable to respond without risking civilian lives.
- Roadside bombs buried under roads, hidden in debris, or even concealed inside dead animals.
- Suicide bombers ranging from men and women to children and people with learning difficulties, often fitted with a second remote detonator in case they failed to activate the device.
- Insider attacks, where local soldiers being trained by the coalition turned their weapons on those training them. Such incidents accounted for 15% of coalition deaths in some

the arrest of perpetrators, often resulting in violent reprisals against both civilians and military personnel.

Service in these environments meant that no two days were alike. In one moment, troops could be engaged in combat; in the next, they might be building infrastructure, training local police or mediating between rival factions. The psychological toll of switching constantly between these roles cannot be underestimated.

On returning home, adjustment can be equally difficult. Research suggests that up to 50% of veterans struggle to acclimatise, many remaining hypervigilant for months or years. Even goldstandard therapies such as trauma-focused CBT and EMDR have shown lower success rates in military populations compared to civilians.

Professor Neil Greenberg, lead for military and veterans' mental health at the UK Royal College of Psychiatrists, has stated: "Unfortunately, conventional treatments for PTSD such as trauma-focused CBT and EMDR appear to work less well for military personnel."


How hypnotherapy can help

seek help. My approach often begins with reducing stress and demonstrating that relaxation is possible, which creates an early win and builds trust for future sessions.

Some of the techniques I use include:

- Inner child work to process unresolved childhood trauma that increases vulnerability to PTSD.
- Amnesia techniques broad, permissive suggestions to release unnecessary memories or feelings.
- The Rewind technique particularly effective in PTSD and FND, allowing traumatic memories to be safely reprocessed.
- Selective regression and age progression revisiting positive past states and projecting them into the future.

These techniques are about processing the past in ways that allow the client to move forward with greater resilience. In my experience, once veterans learn they can manage their responses and begin to relax, they often find the confidence to continue with deeper therapeutic work.



A final thought

Working with veterans is uniquely rewarding. By the time they reach me, many have tried numerous therapies without success. One important lesson for any therapist is this: what may appear traumatic to you may be entirely normal to a veteran. A missile strike. a roadside bomb or the constant threat of attack may be viewed by them as part of their everyday reality. Understanding that difference is key to offering effective, compassionate treatment.

If we can provide tools that help them process the past, regain a sense of control and peace, the impact can be lifechanging.

References:

National Council Hypnotherapy (NCH) Journal Issue 19, Vol 4 and NCH Journal Issue 24, Vol 1 $\,$

Australian Society Clinical Hypnotherapy (ASCH) Journal Issue 3, 15 May 2024 http://nonepilepticseizures.com/epilepsy-psychogenic-NES-information-referral-sites.php#au

FND Action https://www.fndaction.org.uk

PTSD NHS https://www.nhs.uk/mental-health/conditions/post-traumatic-stress-disorder-ptsd/overview/

Association for Psychological Science Association for Psychological Science – APS

Combat Stress About us | Combat Stress

US University of Missouri Mizzou - <u>University of Missouri | University of Missouri | University</u>

US Veterans Affairs **VA.gov Home | Veterans Affairs**Combat Stress **Research Page | Combat**

